


# **Quick Connection Guide**

### **PACKAGE CONTENTS:**





1

B

1 x IP Bullet Camera

1 x Mounting Template



3 x Drywall Anchors



1 x Allen Key





**Ouick Start Guides** 

#### Latest software and manuals available on www.flir.com/security/support




#### For support, visit www.flir.com/security/support

Information in this document is subject to change without notice. As our products are subject to continuous improvement, FLIR Systems, Inc. and our subsidiaries reserve the right to modify product design, specifications and prices, without notice and without incurring any obligation. E&OE © 2015 FLIR Systems, Inc. All rights reserved.


# **Installing the Camera**

Use the included mounting template to mark A holes for the screws.

- Drill holes for the mounting screws.
- NOTE: Use the included drywall anchors if installing into drywall.
- Connect cables as shown in the section "Connecting the Camera".
- Mount the camera to the surface using the included mounting screws (3x).




### **Weights & Dimensions**



# **Adjusting the Came**

Loosen the adjustment screw using the All (included).



2

A

# **3.** Tilt the camera on the stand up to 90°. 2. 000

Adjustment Screw

Tighten the adjustment screw when finishe

## **Safety Precautions**

- If using DC power, use an appropriate low voltage power cable to prevent fire or electrical shock.
- Make sure to install the camera in an area that ca support the camera weight.
- There are no user serviceable parts inside the can Please do not disassemble the camera.
- Do not clean the lens cover with an abrasive clean material. Please use a soft cloth to clean the lens
- Camera is rated for outdoor use (IP66), but is not intended for submersion in water.

**PB133F SERIES** 4 MP HD IP Bullet Camera



ra	<b>3</b> Connecting the Camera
len key	1
ed:	
J.	<b>1. Ethernet Port (PoE):</b> Connect the camera to an NVR or a router or switch on your network using Cat5e or better Ethernet cable (not included). PoE Class 3 supported.
	<b>2. Power Input:</b> If not using PoE, connect the camera to a 12V DC power source. See power requirement specification in datasheet.
ied.	
	FCC Notice
je	This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant
can	to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a
mera.	commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction
aning	manual, may cause harmful interference to radio
s cover.	communications. Operation of this equipment in a residential area is likely to cause harmful interference
s cover. t	residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.