



APX PROJECT 25 RADIO ACCESSORIES SAFETY WITHOUT COMPROMISE





MISSION CRITICAL PERFORMANCE THAT PUTS SAFETY FIRST



APX PORTABLE RADIO ACCESSORIES

Motorola P25 APX radios deliver what first responders need to increase their safety and improve their situational awareness.

Get the most out of your APX radio by extending its power and reliability with APX accessories. They are the only accessories, tested and certified for use with APX radios. Our accessories endure rigorous testing to help keep you safer. There's simply no substitute for APX accessories.

Hazards that can impede other batteries, don't affect ours. We build superior batteries specifically for Motorola radios, then test them in real-world conditions against other manufacturers to prove they are the toughest and most reliable around.





IMP

HO\

Ens

clea

rega dire

into

PRES™AUDIO: I HEAR YOU,	WINDPORT
WEVER YOU SPEAK	You, Not T
ure your voice is heard arer, crisper, and louder ardless of level or ection you're speaking o the accessory.	Reduce the and other o your messa heard clear

MOTOROLA'S EXCLUSIVE AUDIO FEATURES ARE MADE FOR MISSION CRITICAL MOMENTS

IMPRES[™] ENERGY: YOUR BATTERY SAFER, SMARTER, POWERED FOR LONGER

Only IMPRES technology gives you the most accurate information on the state of your battery so you know it's fully charged to last the entire shift. IMPRES batteries can be charged 150 more times than a standard battery.

DUAL-MIC NOISE SUPPRESION: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.





APX 4000 SERIES APX 3000 SERIES SRX 2200 SERIES

TING AUDIO: I HEAR THE WIND

e effect of wind outdoor noise so ages are always rrly.

NOISE-CANCELING AUDIO: HEAR YOU, NOT THE NOISE

Reduce the effect of background crowd noise, sounds of sirens and horns so your messages are always heard clearly.


XE REMOTE SPEAKER MICROPHONE (RSM)

Designed by Firefighters for Firefighters.

This Microphone has exaggerated controls you can operate with bulky gloves and an asymmetrical shape so you can find the controls you need without looking. Dual Mic Noise Suppression allows clear communications in demanding and extreme noise environments.

I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF





COMPATIBILITY	ACCESSORY			FEATU	JRES						MARKET					
XE REMOTE SPEA	AKER MICROPHONE	(RSM)														
APX PORTABLE RADIOS	REMOTE SPEAKER Microphones	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL ²	ORANGE PROGRAMMABLE DISPLAY BUTTON	CHANNEL PROGRAMMABLE AUDIO CONTROL BUTTON JACK	IP RATING RATING	NSIC SIZE Y (WITHOUT CLIP), G (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND OIL, GAS AND PUBLIC WORKS MINING	TRANSPORTATION
	XE RSM WITH XT	REME TEMPERATURE CABLE														
APX 7000 SERIES	Ĩ	Xtreme Temperature Cable High Impact Green Housing	NNTN8575A	•	Dual Mic Noise Suppression	Step		1	lp68 FN	/ 75 x 100 x 33		•				
APX 7000XE SERIES	ę	Xtreme Temperature Cable Black Housing	NNTN8575ABLK	•	Dual Mic Noise Suppression			1	lp68 FN	/ 75 x 100 x 33		•				
APX 6000 SERIES	ij	Xtreme Temperature Cable Yellow Housing	NNTN8575AYLW	•	Dual Mic Noise Suppression			1	lp68 FN	/ 75 x 100 x 33		•				
Ī	N	Xtreme Temperature Replacement Cable for XE RSM (NNTN8203 and NNTN8575 series)	30009402002													
APX 6000XE SERIES	XE RSM WITH ST	ANDARD CABLE														
1	Ţ	Standard Cable High Impact Green Housing	NNTN8203A	•	Dual Mic Noise Suppression	Step		1	lp68 FN	Л 75 x 100 x 33		•				
APX 4000 SERIES	Ţ	Standard Cable Black Housing	NNTN8203ABLK	•	Dual Mic Noise Suppression			1	lp68 FN	Л 75 x 100 x 33		•				
APX 3000 SERIES	Ĩ	Standard Cable Yellow Housing	NNTN8203AYLW	•	Dual Mic Noise Suppression			1	lp68 FN	Л 75 x 100 x 33		•				
SRX 2200 SERIES		Standard Temperature Replacement Cable for XE RSM (NNTN8203 series)	30009402001													

Δ

¹ These are recommended uses based on typical use case for each market listed.

REMOTE SPEAKER MICROPHONE DUAL MIC NOISE SUPPRESSION

This Remote Speaker Microphone with it's thin design and optimized ergonomics is ideal for police officers and other public safety users.

With Dual Mic Noise Suppression, you will be heard despite traffic noise and sirens in the background.

When it gets dirty, just wash the microphone head to ensure your communication is not compromised.

1.000



COMPATIBILITY	ACCESSORY			FEATUR	ES										MARKET ¹						
REMOTE SPEAKE clearer communicati	R MICROPHONES (I ons even in loud enviror	RSM) Our robust portfolio includes Remote Spontents.	eaker Microphone	es and seco	ndary audio acces	sories engin	eered to give you		All rem	ote speaker n	nicrophone	s are built	with to	p quality mate	rials includir	ng durable Ke	vlar® cables	that survive	tough work	ing conditio	ns.
APX PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL ²	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK		INTRINSIC SAFETY RATING	SIZE (WITHOUT CLIP), (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
	Ţ	IMPRES RSM with Dual Mic Noise Suppression, Volume Control, 1-Programmable Button and Orange Button. Rugged, Submersible (IP68)	NMN6271 Available June 2014	•	Dual Mic Noise Suppression	Step	ð			1		IP68		95 x 69 x 27	•		•	•	•		•
	Ţ	IMPRES RSM with Dual Mic Noise Suppression, 3.5mm threaded jack, Volume Control,1-Programmable Button and Orange Button (IP55)	NMN6274 Available June 2014	•	Dual Mic Noise Suppression	Step	ð			1	3.5 mm	IP55		95 x 69 x 27	•		•	•	•		•
APX 7000 SERIES APX 7000XE SERIES	Ø	IMPRES Display RSM with Audio Jack, Channel Selector, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4104	•	Windporting	Step	Ý	•	•	2	8-Pin	♦ IP68	FM	68 x 106 x 31	•	•	•	•	•	•	•
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES	P	IMPRES Display RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4103	•	Windporting	Step	Ý	•		2	8-Pin	IP68	FM	68 x 106 x 31	•	•	•	•	•	•	•
APX 3000 SERIES SRX 2200 SERIES	I	IMPRES RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4101	•	Windporting	Step	Ŵ			2	8-Pin	♦ IP68	FM	68 x 106 x 31	•	•	•	•	•	•	•
	25	IMPRES RSM with NON-Threaded Audio Jack, Orange Button, Noise Cancelling (IP54)	PMMN4062	•	Noise- Canceling					0	3.5 mm	IP54	FM	60 x 78 x 28			•	•	•	•	•
	4	IMPRES RSM with Volume Toggle Switch, Orange Button and 1-Programmable Button, Windporting (IP57)	PMMN4065	•	Windporting	High/Low ²				1		IP57	FM	60 x 78 x 28	•		•	•	•	•	•
² Two settings switch for volume –	high and low.														¹ These are recor	nmended uses based o	on typical use case for	each market listed.			

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

WINDPORTING (MOTOROLA EXCLUSIVE) OR NOISE-CANCELLING: Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission. Noise-cancelling microphones negates crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

AUDIO JACK: Connect a variety of comfortable earpiece styles to the remote speaker microphone for a more discreet communication option.

ORANGE BUTTON: This essential programmable button on top of the microphone is easily activated if you are in trouble. This button can also be set for any programmable feature on the radio, such as emergency.

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

VOLUME CONTROL: Conveniently access the volume control. Toggle switch allows you and is heated at 27°C higher than the water temperature for 2 hours then immediately to easily adjust between high and low volume as needed. immersed to a depth of 1 meter for another 2 hours.

IP RATING: The international standard for rating dust and water protection. The first digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all directions, IP55 protects against driving rain,
IP57 resists submersion in 1 meter of fresh water for 30 minutes and IP68 exceeds industry specs. Product is Ruggedized

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for APX and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

COMPATIBILITY	ACCESSORY			FEATUR	ES								MARKET ¹						
REMOTE SPEAKER clearer communication	R MICROPHONES (R ons even in loud environr	SM) Our robust portfolio includes Remote Sp nents.	eaker Microphone	s and secor	ndary audio access	sories engineered to give you													
APX PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL ² VOLUME PROGRAMMABLE BUTTON	DISPLAY CHANNE CONTRO		AUDIO JACK		INTRINSIC SAFETY RATING	SIZE (WITHOUT CLIP), (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND Mining	TRANSPORTATION
APX 7000 SERIES	5	IMPRES RSM with NON-Threaded Audio Jack, Windporting (IP55)	PMMN4069	•	Windporting			0	3.5 mm	IP55	FM	60 x 78 x 28	•		•	•	•	•	•
APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES	5	IMPRES RSM with 1-Programmable Button. Windporting, Rugged (IP68)	PMMN4083	•	Windporting			1		♦ IP68	FM	60 x 78 x 28	•	•	•	•	•	•	•
APX 4000 XE SERIES APX 4000 SERIES APX 3000 SERIES	9.	IMPRES RSM with 3.5mm Threaded and NON-Threaded Audio Jack and Orange Button. Noise Cancelling (IP54)	PMMN4084	•	Noise- Canceling			0	3.5 mm	IP54	FM	60 x 78 x 28	•		•	•	•	•	•
SRX 2200 SERIES	5	IMPRES Windporting RSM with Volume Toggle Switch, Orange Button, 3.5mm NON-Threaded Jack (IP55)	PMMN4099	•	Windporting	High/Low ²		1	3.5 mm	IP55		60 x 78 x 28	•		•	•	•		•
SRX 2200		Windporting RSM, small, submersible (IP57), Coyote Brown	NNTN8235		Windporting			0		♦ IP57	FM	55 x 60 x 27			•				
SERIES	B	Windporting RSM with NON-Threaded 3.5mm Audio Jack, small (IP54), Coyote Brown	NNTN8236		Windporting			0	3.5 mm	IP54	FM	55 x 60 x 27			•				

 $^{\rm 2}$ Two settings switch for volume – high and low.

COMPATIBILITY	ACCESSORY			FEATURES		
REMOTE SPEAKE	R MICROPHONE ACC	CESSORIES AND REPLACEMENT PART	rs			
PORTABLE RADIOS	REMOTE SPEAKER MICROPHONE ACCESSORIES AND REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	CONNECTOR TYPE	INTRINSIC SAFETY RATING
	N	Receive-Only Covered Earbud with coiled cord	AARLN4885	Foam Earbud	3.5mm	FM
	5	Receive-Only Earpiece with translucent tube and rubber eartip	RLN4941	Clear Rubber Eartip	3.5mm	FM
APX 7000 SERIES APX 7000XE SERIES	¢ D	Receive-Only Flexible Earpiece	WADN4190	Over-the-Ear	3.5mm	FM
APX 6000 SERIES APX 6000XE SERIES	A	Receive and Transmit Boomless Temple Transducer (for HMN4104, HMN4103 and HMN4101 only)	RMN5116	Over-the-Head	8-Pin	FM
APX 4000 SERIES APX 3000 SERIES SRX 2200 SERIES	55	Receive-Only Earpiece with translucent tube and rubber eartip (for HMN4104, HMN4103 and HMN4101 only)	RLN6424	Clear Rubber Eartip	Hirose	FM
OUV 7700 SEKIES		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB. (Pack of 50 pairs)	5080384F72	Foam Eartip		
	(Replacement Rubber Eartip for RLN6424 (Pack of 25)	5080370E97			



APX Remote Speaker Microphones and Public Safety Microphones deliver audio that is clearer, easier to understand, and up to 50% louder. That's because they have the same speaker found in APX portable radios for the best-in-class accessory audio available.

NOTE: See page 20 for high noise earpiece solutions.

¹ These are recommended uses based on typical use case for each market listed.



COMP	ATIBILITY	ACCESSORY			
REM	DTE SPEAKEF	R MICROPHONE AC	CESSORIES		
PORTAB	LE RADIOS	REMOTE SPEAKER Microphone Accessories	DESCRIPTION	PART NUMBER	CONNECTOR TYPE
	APX 7000 SERIES		Display RSM Interface Cable, 5-Pin Nexus Female Receptacle	PMKN4107	5-Pin Nexus Female
	APX 7000XE SERIES APX 6000 SERIES		Display RSM Interface Cable 4-Pin Nexus Male Plug	PMKN4112	4-Pin Nexus Male
	APX 6000XE SERIES		Display RSM Interface Cable, 12-Pin Hirose Male Connector	PMKN4113	12-Pin Hirose Male
	APX 4000 SERIES	\bigtriangledown	Replacement Coil Cord Kit for HMN4104, 4103 and 4101	3075336B17	
	APX 3000 SERIES SRX 2200 SERIES	C	Replacement Coil Cord Kit for PMMN4062, PMMN4065, PMMN4069, PMMN4083 and PMMN4099.	RLN6075	

WHICH MICROPHONE **IS RIGHT FOR ME?**

-11-5-5

WINDPORTING AUDIO: I HEAR YOU, NOT THE WIND

If you work outdoors in demanding weather, a Windporting microphone is right for you. It reduces the effects of wind and other sounds whenever you use the microphone. It also prevents water from clogging the microphone for clear transmissions.

111

NOISE-CANCELING AUDIO: I HEAR YOU, NOT THE NOISE

Talking in a crowd or near heavy equipment? A Noise-Canceling microphone reduces background sounds. To optimize noise reduction, hold the microphone in the correct position directly in front of your mouth, facing the source of the noise.

DUAL MIC NOISE SUPPRESSION: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.

COMPATIBILITY	ACCESSORY			FEATURES									MARKET ¹					
PUBLIC SAFETY N clearer communication	IICROPHONES Our rol ons even in loud environn	bust portfolio includes Public Safety Micropho nents.	ones and secondar	y audio acces	sories engineered to	o give you												
APX PORTABLE RADIOS	PUBLIC SAFETY Microphones	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL ²	ORANGE PROGRAMMABLE BUTTON	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	INTRINSIC SAFETY RATING	SIZE (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND OIL, GAS AND PUBLIC WORKS MINING	TRANSPORTATION
APX 7000 700/800 MHz	1.	IMPRES Windporting Public Safety Microphone (30 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55)	PMMN4061	•	Windporting	Hi/Low	_	1	3.5 mm	IP55	FM	60 x 78 x 28	•				•	
APX 6000 700/800 MHz only		IMPRES Windporting Public Safety Microphone (24 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55)	PMMN4060	•	Windporting	Hi/Low		1	3.5 mm	IP55	FM	60 x 78 x 28	•				•	
APX 3000 700/800 MHz only		IMPRES Windporting Public Safety Microphone (18 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55)	PMMN4059	•	Windporting	Hi/Low		1	3.5 mm	IP55	FM	60 x 78 x 28	•				•	

² Two settings switch for volume - high and low.



COMPATIBILITY	ACCESSORY			FEATURES		
	egrated microphone/receiv you, from traffic noise to o	rer lets you talk discreetly and hear clearly an ther responders.	d still be aware			
APX PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
	5.	Integrated Ear Microphone/Receiver System with Palm PTT (Includes adapter BDN6783)	RLN6480	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Palm
APX 7000 SERIES APX 7000XE SERIES		Integrated Ear Microphone/Receiver System with PTT on Adapter (Includes adapter BDN6783)	RLN6481	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	On Adapter
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES	``` ***	Integrated Ear Microphone/Receiver System with Snap-On-Side PTT (Includes adapter BDN6783)	RLN6482	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Side
APX 3000 SERIES SRX 2200 SERIES	```	Integrated Ear Microphone/Receiver System with Ring PTT (Includes adapter BDN6783)	RLN6483	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Ring
	`` ~ \$	Integrated Ear Microphone/Receiver System with Body PTT (Includes adapter BDN6783)	RLN6484	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Body



HOW DOES COMMPORT[™] WORK?

The miniature microphone and receiver connect to your APX radio and fasten securely and comfortably to your ear. Unlike bone conduction or boom mic technology, the CommPort System picks up sound waves as they cross the face so you hear and can be heard virtually in any environment.



	PART NUMBER
6480	NKN6510
I	NKN6508
for	NKN6525
483	NKN6512
for	NNTN4188
	NTN8819
bes, Iscreens)	NTN8821
ment to ear	NTN8986
t to ear	NTN8988
⁻ 10)	RLN5037
	4285838B01
	4202006A01



COMPATIBILITY	ACCESSORY			FEATURES					MARKET ¹
EAR MICROPHON	IE SYSTEM								
APX PORTABLE RADIOS	EAR MICROPHONE System	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	POLICE
	Solo	IMPRES Ear Microphone with Bone Conduction and programmable button, black	PMLN5653	•	In-Ear Mic	In-Ear Mic	Large, Ring-guarded, Recessed	Ň	•
APX 7000 SERIES APX 7000XE SERIES		Earguard with Adjustable Loop	0180300E25	100	12				
APX 6000 SERIES		Earholder, Black, Small	0180358B32	and the second sec	-F	V. Land	HOW DO PERFORM	ES IMPRES IMPR MANCE?	OVE AUDIO
APX 6000XE SERIES		Earholder, Black, Medium	0180358B33	1	17	1 Parts		ances the clarity and auc cessories by reducing am	· /
APX 3000 SERIES		Earholder, Black, Large	0180358B34				normally, bu	pice intelligibility. If you s t not directly into a micro	phone, IMPRES
SRX 2200 SERIES		Earholder, Clear, Medium	0180358B36			1-200	adjusts the t	ts changes in your voice a transmitted volume so yo st volume up and down.	
		Earholder, Clear, Large	0180358B37						de la compañía de la


COMPATIBILITY	ACCESSORY			FEATURES						MARKET ¹
		Transmit and receive discreetly with a variet ck-disconnect, durable and comfortable trans				rugged		ve one wire for receiving tr eature separate wires for re		
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	FM	POLICE
APX 7000 SERIES		1-Wire Receive-only earpiece, black	PMLN6125	•	Ear Hanger					•
APX 7000XE SERIES APX 6000 SERIES		1-Wire Receive-only earpiece, beige	PMLN6126	•	Ear Hanger					•
APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES		IMPRES 2-Wire Surveillance Kit, programmable button, black	PMLN6127	•	Ear Hanger	Ť	1	1		•
SRX 2200 SERIES		IMPRES 2-Wire Surveillance Kit, programmable button, beige	PMLN6128	•	Ear Hanger	Mic and PTT combined on a single wire	Mic and PTT combined on a single wire	Ţ		•
										¹ These are reco

louder regardless of level or direction you're speaking into the accessory.

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.


MICROPHONE AND PTT: Some accessories have a microphone on the same wire as push-to-talk (2-Wire surveillance kit) or on a separate wire (3-Wire surveillance kits). Microphones while you keep your radio on your belt or hidden under a jacket.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for APX and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.




۱d S lly n't





PATIBILITY RVEILLANCE K	ACCESSORY			FEATURES	_	_	_	_		MARKET ¹						
ORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	FM	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATIO
	\bigcirc	IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6129	•	Clear Rubber Eartip	1	*			•		•	•			
		IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6130	•	Clear Rubber Eartip	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	1		•		•	•			
APX 7000 SERIES	-98	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6123	•	Clear Rubber Eartip	P				•		•	•			
APX 7000XE SERIES	6	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6124	•	Clear Rubber Eartip	Separate wire	Separate wire	A Star		•		•	•			
APX 6000 SERIES		2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6038		Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire			•		•	•			
APX 6000XE		3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6039		Ear Hanger	Separate wire	Separate wire			•		•	•			
SERIES	s O	2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6032		Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire			•		•	•			
APX 4000 SERIES	Ś	3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6031		Ear Hanger	Separate wire	Separate wire			•		•	•			
APX 3000 Series		1-Wire Receive-Only Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6664		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
SRX 2200 Series	(D)	1-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6726		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
	0	1-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6665		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
		1-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6727		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			

NPATIBILITY RVEILLANCE KI	ACCESSORY							MARKET				
PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	FM	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES / PUBLIC WO
		1-Wire Receive-Only Surveillance Kit with Volume Control and Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6666	Ear Hanger			FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	
		1-Wire Receive-Only Surveillance Kit with Volume Control and Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6728	Ear Hanger			FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	
APX 7000 SERIES		2-Wire Receive-Only Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6667	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	
APX 7000XE SERIES	29	2-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6729	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	
SERIES	Q	2-Wire Receive-Only Surveillance Kit with Extra- Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6669	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	
APX 6000 SERIES		2-Wire Receive-Only Surveillance Kit with Extra- Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6731	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	
APX 6000XE SERIES		3-Wire Receive-Only Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6668	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	
APX 4000 SERIES	n.	3-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6730	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	٠		•	٠	
APX 3000	Cor	3-Wire Receive-Only Surveillance Kit with Extra- Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6670	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	٠	
SERIES	~	3-Wire Receive-Only Surveillance Kit with Extra- Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6732	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	
SRX 2200 SERIES		1-Wire Receive-Only Surveillance Kit with Translucent Tube, Beige, 3.5mm Threaded. Requires BDN6783	RLN5314	Clear rubber eartip				•		•	•	
		1-Wire Receive-Only Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783	RLN5313	Clear rubber eartip				•		•	•	
	9	Wire Receive-Only Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783	RLN5312	Clear rubber eartip	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire		•		•	•	





COMPATIBILITY	ACCESSORY			FEATURES	
SURVEILLANCE K	IT ACCESSORIES AN	D REPLACEMENT PARTS			
APX PORTABLE RADIOS	SURVEILLANCE Accessories	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
	0	Low Noise Kit with Quick Disconnect translucent tube and 1clear rubber eartip	RLN6242	Clear rubber eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130
	J. A	Replacement standard clear rubber eartip, pack of 50	RLN6282	Clear rubber eartip	PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130
APX 7000 SERIES		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB.* Pack of 50 pairs.	5080384F72	Foam eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130
APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES	Same	Low Noise Kit with 1 clear rubber eartip	RLN5886	Clear rubber eartip	RLN5882, RLN5883,
APX 4000 SERIES APX 3000 SERIES	1	High Noise Kit* with 2 foam earplugs	RLN5887	Foam eartip	 PMLN5111, PMLN5112, PMLN6125, PMLN6126
SRX 2200 SERIES	4.5	Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™foam eartip	RLN5882, RLN5883,
		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply [™] foam eartip	 PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126,
	Clear E [Sonic	Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply™foam eartip	PMLN6127, PMLN6128, PMLN6130

COMPATIBILITY	ACCESSORY			FEATURES
SURVEILLANCE K	IT ACCESSORIES A	ND REPLACEMENT PARTS		
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE
	Ì	Small Clear Comfortable Earpiece, right ear	RLN4760	Clear comfortable earpiece
APX 7000 SERIES	Ð	Medium Clear Comfortable Earpiece, right ear	RLN4761	Clear comfortable earpiece
APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES	ð	Large Clear Comfortable Earpiece, right ear	RLN4762	Clear comfortable earpiece
APX 4000 SERIES APX 3000 SERIES	C	Small Clear Comfortable Earpiece, left ear	RLN4763	Clear comfortable earpiece
SRX 2200 SERIES	Č.	Medium Clear Comfortable Earpiece, left ear	RLN4764	Clear comfortable earpiece
	C	Large Clear Comfortable Earpiece, left ear	RLN4765	Clear comfortable earpiece
SURVEILLANCE K	IT AUDIO ADAPTER	IS		
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES	-	3.5mm Threaded Audio Adapter	BDN6783	BDN6664, BDN6665, BDN6666, BDN6667, BDN6668, BDN6669, BDN6726, BDN6727, BDN6728, BDN6729, BDN6730, BDN6731, BDN6732, BDN6670
APX 0000AE SERIES APX 4000 SERIES APX 3000 SERIES SRX 2200 SERIES		6 Pin Hirose Keyload & Audio Adapter, FM/IS rated	NNTN7869	ZMN6031, ZMN6032, ZMN6038, ZMN6039

* For High Noise Kit solution - combine RLN6242 Low Noise Kit with translucent tube and clear rubber eartip and RLN6281 Replacement Foam Plugs for RLN6242. Noise reduction = 24dB.

COMPATIBILITY	ACCESSORY			FEATURES								MARKET ¹						
HEADSETS																		
APX PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	MICROPHONE	РТТ	INTRINSIC SAFETY RATING	WEIGHT	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
	Č.	IMPRES Temple Transducer with boom microphone and inline push-to-talk	PMLN5101	•	Behind- the-Head	Bone Conduction		Boom	In-line	FM	Lightweight	•		•		•	•	•
APX 7000 SERIES APX 7000XE SERIES	Ċŝ	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	RMN5058		Over- the-Head	Single-Ear		Boom	In-line	FM	Lightweight			•		•	•	•
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES	Ĵ	Heavy-Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB	PMLN5275		Behind- the-Head	Dual-Ear	•	Boom	In-line	FM	Heavy-Duty					•	•	•
APX 3000 SERIES SRX 2200 SERIES		XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490		Behind-the- Neck	Dual-Ear	•	Boom	Radio, headset or wireless PTT pod		Heavy-Duty					•		•
	Ø.	XBT Operations Critical Wireless Headband Style Headset	RLN6491		Over- the-Head	Dual-Ear	•	Boom	Radio, headset or wireless PTT pod		Heavy-Duty					•		•

COMPATIBILITY	ACCESSORY				FEATURES					
M PELTOR HEAV	Y DUTY HEADSETS									
APX PORTABLE RADIOS	3M PELTOR HEAVY DUTY HEADSETS	DESCRIPTION AND ADAPTER TYPE	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (APX)
IRECT CONNECT	– AVAILABLE APRIL	-								
PX 7000 SERIES PX 7000XE SERIES		MT Series Over-The-Head Headset, direct radio connect	RMN5137	MT7H79A-C5063-34	Over-The-Head	Connects directly to Radio	Dual-Ear	25dB	Boom	On Ear Cup
X 6000 SERIES X 6000XE SERIES X 4000 SERIES		MT Series Neckband Headset, direct radio connect	RMN5138	MT7H79B-C5063-34	Neckband	Connects directly to Radio	Dual-Ear	24dB	Boom	On Ear Cup
X 3000 SERIES X 2200 SERIES		MT Series Hard Hat Attached Headset, direct radio connect	RMN5139	MT7H79P3E-C5063-34	Hard Hat Attached	Connects directly to Radio	Dual-Ear	21dB	Boom	On Ear Cup
TT ADAPTER CO	NFIGURATIONS – CO	MING SOON								
	6	MT Series Over-the-Head Headset with Nexus connector	PMLN6088	MT7H79A-34	Over-the-Head	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapt PMLN6095
		MT Series Neckband Headset with Nexus connector	RLN6477	MT7H79B-34	Neckband	Nexus	Dual-Ear	24dB	Boom	Requires PTT Adap PMLN6095
X 7000 SERIES X 7000XE SERIES	.	MT Series Hard Hat Attached with Nexus connector	RMN4051	MT7H79P3E-34	Hard Hat Attached	Nexus	Dual-Ear	21dB	Boom	Requires PTT Adap PMLN6095
X 6000 SERIES X 6000XE SERIES X 4000 SERIES		TacticalPro Series Over-The-Head Headset with Nexus connector	RMN4052	MT15H7A-34	Over-The-Head	Nexus	Dual-Ear	26dB	Boom	Requires PTT Adap PMLN6095
X 3000 SERIES X 2200 SERIES	0,0	TacticalPro Series Neckband Headset with Nexus connector	RMN5135	MT15H7B-07-34	Neckband	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adap PMLN6095
	03.	TacticalPro Series Hard Hat Attached with Nexus connector	RMN4053	MT15H7P3E-34	Hard Hat Attached	Nexus	Dual-Ear	22dB	Boom	Requires PTT Adap PMLN6095
		PTT Nexus Adapter	PMLN6095	FL5063-34						
SM CONFIGURA	TIONS – COMING SO	DON								
		HT Series Listen Only Over-The- Head Headset with 3.5mm NON threaded connector	RMN4055	HTM79A-34	Over-The- Head	3.5mm NON threaded	Dual-Ear	25dB	(Listen-Only)	ADV radio requires
X 7000 SERIES X 7000XE SERIES		HT Series Listen Only Neckband Headset with 3.5mm NON threaded connector	RMN5132	HTM79B-34	Neckband	3.5mm NON threaded	Dual-Ear	24dB	(Listen-Only)	APX radio requires RSM: PMMN4062, PMMN4069 or
X 6000 SERIES X 6000XE SERIES X 4000 SERIES	2	HT Series Listen Only Hard Hat Attached Headset with 3.5mm NON threaded connector	RMN5133	HTM79P3E-34	Hard Hat Attached	3.5mm NON threaded	Dual-Ear	23dB	(Listen-Only)	PMMN4084
PX 3000 SERIES 3X 2200 SERIES	6	HT Series Listen Only Over-The- Head Headset with 3.5 threaded connector	RMN4056	HTM79A-42	Over-The- Head	3.5mm threaded	Dual-Ear	25dB	(Listen-Only)	APX radios require
		HT Series Listen Only Hard Hat Attached Headset with 3.5 threaded connector	RMN4057	HTM79P3E-42	Hard Hat Attached	3.5mm threaded	Dual-Ear	23dB	(Listen-Only)	RSM: PMMN4084.



COMPATIBILITY	ACCESSORY			
REPLACEMENT P	ARTS			
APX PORTABLE RADIOS	REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	PELTOR PART NUMBER
	6	Earmuff Hygiene Kit Black Earseals	RLN4923	HY79
APX 7000 SERIES APX 7000XE SERIES	9	Earmuff Hygiene Kit Gel Sealing	RLN6541	HY80
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES		Hygiene Tape for Microphone	RLN6542	HYM1000
APX 3000 SERIES SRX 2200 SERIES		Boom Microphone Wind Screen	RLN6543	M40/1
		Metal Boom with Microphone	RMN5131	MT7N

COMP/	ATIBILITY	ACCESSORY			FEATURES				MARKET ¹						
HEAR	RING PROTEC	TION													
APX POP	RTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
	000 SERIES 000xe series	1	Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6511		Comply™ Foam Ear tip		Noise Reduction					•	•	•
APX 60 APX 40	000 SERIES 000XE SERIES 000 SERIES		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6512		Comply™ Foam Ear tip		Noise Reduction					•	•	•
	000 SERIES 200 SERIES		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6513		Comply™ Foam Ear tip		Noise Reduction					•	•	•
ТАСТ	TICAL SOLUTI	ONS			1										
	APX 7000 SERIES	ø d	Tactical PTT/VOX Interface Module	PMLN6765					•	٠	٠	•	•		•
4	APX 7000XE SERIES		Tactical PTT Only Interface Module	PMLN6827					•	•	•	•	•		•
-	APX 6000 SERIES	O	Tactical Boomless Temple Transducer (requires Interface Module PMLN6765 or PMLN6827)	PMLN6766		Over- the-head	Bone Conduction	Noise Cancelling	•		٠	•	•		•
	APX 6000XE	oror,	Tactical Throat Microphone (requires Interface Module PMLN6765 or PMLN6827)	PMLN6828		Neckband	Earbud	Noise Cancelling	•		•	•	•		•
i i	SERIES	\bigcirc	Tactical Ear Microphone (requires Interface Module PMLN6765 or PMLN6827)	PMLN6829		In-Ear	In-Ear	Noise Cancelling	•	•			•		•
	APX 4000 SERIES	AND I	Tactical Temple Transducer / Boom Mic (requires Interface Module PMLN6765 or PMLN6827)	PMLN6833		Over- the-head	Bone Conduction	Noise Cancelling	•			•	•		•
	APX 3000 SERIES	0,0	Tactical Remote Body PTT (for use with Interface Module PMLN6765 or PMLN6827)	PMLN6767					•	•	•	•	•		•
i i	SRX 2200 Series	R	Tactical Remote Ring PTT (for use with Interface Module PMLN6765 or PMLN6827)	PMLN6830						•		•			•

WHAT ARE THE EP7 SONIC DEFENDERS ULTRA EARPLUGS?

RLN6511, RLN6512, RLN6513

The EP7 Sonic Defenders Ultra Earplugs provide extra comfort and/or noise protection for users wearing surveillance accessories or users wearing heavy duty headsets / helmets. With a foam-tipped stem design and soft memory-foam Comply[™] Canal Tips, these comfortable earplugs protect your hearing without blocking your ability to hear routine sounds or conversations. Safe sounds are allowed to pass through into the ear canal, while potentially harmful noises (above 85dB) are reduced through a filter.

Filter caps are included and can be inserted for additional hearing protection or removed for use with surveillance kits.* With a patented EarLock[®] technology to hold them in place, all-day comfort, and a low-profile design, these earplugs can be worn while wearing a helmet or mask, or while using a phone or heavy duty headset. Lanyard is included in each earplug kit, as shown in picture.

 $^{*}\text{EP7}$ earpiece will not provide full 28dB Noise Reduction when the noise-reducing filter is removed.

NEW PRODUCT OFFERING: AVAILABLE Q2 2014

Motorola's Tactical Solution offers a high performance interface enhanced by high speed DSP (Digital Signal Processor) which only detects the human voice.

Providing steady and trouble free transmission without clipping your message even in the noisiest environments.

Combined with various headset assures efficient and safer operation in a variety of work environments.



COMPATIBILITY	ACCESSORY			FEATURES										MARKET ¹						
	AL WIRELESS ACCESS from your belt and stay co	ORIES (MCW) This portfolio is a game cha nected within 30 feet.	anger, giving you th	ne flexibility																
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS	SIZE) (MILLIMETERS)	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING ²	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 7000 SERIES APX 7000XE SERIES		Mission Critical Wireless Earpiece with 12" cable and push-to-talk pod	NTN2570	Over-the-Ear (CommPort™)	Directional, above the Earpiece	•	10	3	43	70 x 41 x 25	30	IP54	FM	•	•	•	•	•		•
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES		Mission Critical Wireless push-to-talk pod	NTN2571	N/A	N/A	•	10	3	43	70 x 41 x 25	30	IP54	FM	•	•	•	•	•		•
APX 3000 SERIES SRX 2200 SERIES		Mission Critical Wireless Remote Control Keyfob with programmable buttons	NNTN8442	N/A	N/A	•	10	3	26	67 x 32 x 16	30	IP54		•			•			


² Accessory solution is FM certified when used with an FM certified radio system and FM certified adapter if required.

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort[™] style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is designed for general use, while the directional microphone on the CommPort[™] style earpiece is ideal for lower noise environments.

¹ These are recommended uses based on typical use case for each market listed.

FEATURES COMPATIBILITY ACCESSORY MISSION CRITICAL WIRELESS ACCESSORIES This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 30 feet. ACCESSORIES DESCRIPTION PART NUMBER PORTABLE RADIOS EARPIECE TYP On Pod, 1- Wire Earbud for Wireless Push-to-Talk NNTN8294 Earbud In-line ordered pod with 11.5" cable, Black separately On Pod, 1- Wire Earbud for Wireless Push-to-Talk NNTN8295 Earbud In-line ordered pod with 45" cable, Black separately On Pod, Covert Audio Kit for Mission Critical 1 earbud and 2 NNTN8296 In-line ordered Wireless PTT Pod earbud headsets APX 7000 SERIES separately Ì On Pod, Y-Adapter and Retention Hook for Mission Directional, on NNTN8385 ordered Critical Wireless Push-to-Talk Pod separate wire separately APX 7000XE SERIES On Pod, Directional Replacement Wireless Earpiece 12 inch Over-the-Ear NTN2572 above the ear ordered cable (CommPort[™]) comport mic separately Mission Critical Wireless Covert Pack-N-Go ľ APX 6000 Kit, Basic, Kit includes: NNTN8296 Basic SERIES On PTT and MCW Mission Critical Wireless Covert Kit, On Y-Adapter or Earbud and RLN6489 NTN2571 Mission Critical Wireless Pushearbud headset in-line on earbuds Keyfob to-Talk (PTT) Pod and NNTN8442 Mission Critical Wireless Remote Control Unit APX 6000XE Mission Critical Wireless Covert Pack-N-Go Completely SERIES Kit, Advanced. Kit includes: All contents On PTT and MCW Discreet Earpiece, On Y-Adapter or of Covert Pack-n-Go Kit plus RLN4922 RLN6501 earbud and earbud in-line on earbuds Keyfob Completely Discreet Earpiece Kit and headset NNTN8385 Wireless Neckloop Y-adapter Ē APX 4000 Wireless Earpiece Maintenance Kit with SERIES Over-the-Ear 10 silicone ear tubes, 10 microphone NTN8821 seal strips and 2 foam windscreens for (CommPort[™]) NTN2572 Over-the-Ear earpiece APX 3000 W10 ear strap for CommPort[™] earpiece to Over-the-Ear NTN8988 SERIES (CommPort[™]) secure earpiece to ear Over-the-Ear RLN5037 W10 eartubes for CommPort[™] earpiece (CommPort[™]) SRX 2200 Series Replacement ear tips kit for wireless ear NNTN8316 Earbud buds (20 Small, 20 Medium, 20 Large and 10 clips) Replacement Swivel Clip for Wireless PTT PMLN6246 Pod Replacement or spare micro-usb plug-in PMPN4027 charger (US)





28

WHAT MAKES THE COVERT PACK-AND-GO KIT A MUST-HAVE?

Organize and stow all your APX wireless accessories on the go, all in one place. Keep this durable kit in a backpack or messenger bag and you'll always have the right accessories on hand. With a dozen secure straps and deep mesh pockets, you can access exactly what you need when an operation happens.

Patibility Torola Imp	ACCESSORY RES TWO-WAY BA	ATTERIES The only batteries developed, tested a	nd certified for op	FEATURES	ince with your .	APX radio.	_	_	_	-	
batteries are Pr	roven Tough, in lab te	st after lab test, to withstand shocks, knocks, drop:	s and shakes and o	outperform the	other brands.		APPROXIMATE		_		
ABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	MINIMUM RATED CAPACITY (mAh)	OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE	DIMENSIONS (MILLIMETERS) (H x W x D)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	ip Ratin
APX 7000 SERIES	1	IMPRES Li-Ion 2150 mAh Slim, Submersible Battery-IP67	PMNN4403	•	Li-lon	2150	10.5	86 x 59 x 37	142		♦ IF
		IMPRES Li-Ion 2900 mAh Submersible Battery-IP67	NNTN7038	•	Li-Ion	2900	14	86 x 59 x 42	185		• 1
APX 7000XE SERIES		IMPRES Li-Ion 2300 mAh, Intrinsically Safe - FM, Submersible, Rugged Battery-IP68	NNTN8092	•	Li-Ion	2300	11	86 x 59 x 42	160	FM	• 1
APX 6000 SERIES		IMPRES Li-Ion 4200 mAh -30°C Rated Submersible, Rugged Battery-IP68	NNTN7034	•	Li-lon	4200	20.5	130 x 59 x 42	285		۵
APX 6000XE SERIES		IMPRES Li-Ion 4100 mAh Intrinsically Safe - FM, Submersible, Rugged Battery-IP68	NNTN7033	•	Li-Ion	4100	19.5	130 x 59 x 42	285	FM	۵
		IMPRES NiMH 2000 mAh Intrinsically Safe - FM, Submersible Rugged Battery-IP68	NNTN7035	•	NiMH	2000	9.5	136 x 59 x 40	335	FM	۵
SRX 2200 SERIES	6	APX Clamshell Battery Pack (requires 12 AA Alkaline batteries, not included), Submersible Battery-IP57	PMNN4439		AA Alkaline/ Li-Ion	Alkaline: 2700 Li-lon: 6100	Alkaline: 12 Li-Ion: 27	165 x 60 x 60	Alkaline: 4 Li-lon: 380	76	۵
X 2200 SERIES		Military, Li-Ion 2900 mAh, Submersible, Rugged Battery-IP68, Coyote Brown	NNTN8182		Li-lon	2900	14	86 x 59 x 42	185		۵
		IMPRES Li-Ion 1900 mAh Slim, Submersible, Battery-IP67	NNTN8128	•	Li-Ion	1900	8.5	115 x 52 x 18	160		۵
APX 4000 SERIES		IMPRES Li-Ion 2300 mAh Intrinsically Safe - FM, Submersible, Battery-IP67	NNTN8129	•	Li-Ion	2300	10.5	115 x 52 x 23	170	FM	۵
APX 3000 SERIES		IMPRES Li-Ion 2300 mAh Submersible, Battery-IP67	PMNN4424	•	Li-Ion	2300	10.5	115 x 52 x 23	170		۵
		IMPRES Li-Ion 2700 mAh Submersible, Battery-IP67	PMNN4448	•	Li-lon	2700	12	115 x 52 x 23	170		۵
PX 3000 SERIES		IMPRES Li-Ion 1250 mAh Slim, Submersible, Battery-IP67	NNTN8305	•	Li-Ion	1250	6	115 x 52 x 14	98		١

* International Protection (IP) is a global standard for rating dust and water protection. The first digit IPSx or IPSx represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection - MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.

30

MOTOROLA **POWER PRODUCTS**

MULTIPLIER



HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?

They reduce the number of spare batteries you buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you'll get more than an extra year out of every IMPRES battery. YOUR BATTERY. SAFER, STRONGER, POWERED FOR LÓNGER.

KNOCKS. DROPS. SHOCKS. VIBRATION. STATIC.

If your radio gets banged on a ride, rattled by heavy equipment or shocked by static electricity, our batteries will stay true and stand tough. These rigorous lab tests prove that Motorola radio batteries perform robustly and reliably, despite the toughest conditions. What's more, we stand behind every battery we build.

See www.motorolasolutions.com/proventough for details.

PROVEN TOUGH BATTERY TESTING PASS RATE 53% 47% HONEYWELL (Manufactured by GTS) 52%

COMPATIBILITY	ACCESSORY			FEATURES							
		iety of solutions including single-unit, unique (ady to go the moment you need it.	dual-unit, multi-uni	it, travel and v	ehicular charge	rs					
PORTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) (H x W x D)	NUMBER OF POCKETS	RECONDITIONING CAPABLE	CHARGING CURRENT (MAX.)	NUMBER OF DISPLAYS
DESKTOP, SINGL	LE AND MULTI-UNIT C	HARGERS									
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES SRX 2200 SERIES	-	IMPRES Single-Unit Rapid Rate Charger, 120V (US Plug)	WPLN7080	•	Li-Ion, NiMH	120VAC	60 x 97 x 163	1	•	Rapid Rate	
APX 4000 SERIES APX 3000 SERIES		IMPRES Single-Unit Rapid Rate Charger, 120V (US Plug)	WPLN4232	•	Li-Ion, NiMH	120VAC	60 x 97 x 163	1	•	Rapid Rate	
		IMPRES Dual-Unit Rapid Rate Charger with 2 Displays, 120V (US plug)	NNTN7593	•	Li-Ion, NiMH	120VAC	64 x 142 x 208	2	•	Rapid Rate	2
APX 7000 SERIES APX 7000XE SERIES		IMPRES Dual-Unit Rapid Rate Charger, 120V (US plug)	NNTN7586	•	Li-Ion, NiMH	120VAC	64 x 142 x 208	2	•	Rapid Rate	
APX 6000 SERIES APX 6000XE SERIES SRX 2200 SERIES	,1114	IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 120V (US plug)	NNTN7073	•	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	6
		IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 120V (US plug)	NNTN7065	•	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	1
APX 4000 SERIES		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 120V (US plug)	WPLN4219	•	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	6
APX 3000 SERIES		IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 120V (US plug)	WPLN4212	•	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	1
SRX 2200 SERIES		Military, IMPRES Multi-Unit Rapid Rate, Charger, 120V (US Plug) with Pocket Inserts	NNTN8185	•	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	
VEHICULAR AND	TRAVEL CHARGERS										
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES SRX 2200 SERIES		IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7624	•	Li-Ion, NiMH	12VDC hardwire	82 x 97 x 200	1		Rapid Rate	
APX 4000 SERIES APX 3000 SERIES	N	IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7616	•	Li-Ion, NiMH	12VDC hardwire	82 x 97 x 200	1		Rapid Rate	
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES SRX 2200 SERIES	L	Travel Charger with voltage regulated vehicular charger adapter, custom charger base, mounting bracket, and coil cord	RLN6434		Li-Ion, NiMH	12VDC cigarette lighter adapter	67 x 67 x 70	1			
APX 4000 SERIES APX 3000 SERIES	<	Travel Charger with voltage regulated vehicular charger adapter, custom charger base, mounting bracket, and coil cord	RLN6433		Li-Ion, NiMH	12VDC cigarette lighter adapter	64 x 67 x 57	1			

IMPRES BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES Display chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

BATTERY WARRANTY: Take advantage of the longest warranty in the industry. Our warranty protects against any defects in workmanship for **four years** – twice as long as most leading competitive batteries.

NUMBER OF POCKETS: APX multi-unit chargers let you simultaneously charge up to 6 radios and/or batteries.



CATALOG APX PROJECT 25 RADIO ACCESSORIES

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		
CHARGER SOLUT	IONS		
APX PORTABLE RADIOS	CHARGER Accessories	DESCRIPTION	PART NUMBER
SINGLE AND MU	TI-UNIT CHARGER A	CCESSORIES	
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES	40	Display Module for IMPRES Multi-Unit Charger	RLN5382
APX 4000 SERIES APX 3000 SERIES SRX 2200 SERIES	1111	Wall Mount Bracket for IMPRES Multi-Unit Charger	NLN7967
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES	L.	Insert for WPLN4108/4130 XTS Multi-Unit Charger	NNTN7686
APX 6000XE SERIES SRX 2200 SERIES		Insert for NTN1873/WPLN4111 XTS Single-Unit Charger	NNTN7687
APX 3000 SERIES	U	Insert for WPLN4108/4130 XTS Multi-Unit Charger	NNTN8170
APX 4000 SERIES	U	Insert for NTN1873/WPLN4111 XTS Single-Unit Charger	NNTN8169
IMPRES BATTERY	MANAGEMENT TOO	LS	
		IMPRES Battery Reader	NNTN7392
APX 7000 SERIES APX 7000XE SERIES	্	IMPRES Battery Fleet Management Software (http://www.motorolasolutions.com/US-EN/ Business+Product+and+Services/Accessories/Two- Way+Radio+Accessories/Batteries/IMPRES)	NNTN7676
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES		IMPRES Battery Fleet Management License Key	HKVN4036
SRX 2200 SERIES		IMPRES Battery Fleet Management Multi-Unit Charger Interface Unit	NNTN7677
		IMPRES Battery Fleet Management Single-Unit Charger Interface Unit	NNTN8045



HOW DO I KNOW MY BATTERIES WILL LAST AN ENTIRE SHIFT?

With the unique IMPRES Battery Reader and IMPRES Battery Fleet Management systems, you can efficiently manage batteries with real-time data not available from other manufacturers.

These easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.




COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTIO	NS Carry cases and hold les keep your hands-free,	ers are available in sizes designed to fit your ra so you can concentrate on the task at hand.	adio and battery ar	nd permit audio t	o be heard clea	arly.	
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS
APX 7000 SERIES		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5331	Plastic	3	Fixed	
APX 7000XE SERIES		Carry Holder for 3.5 Model Radios only	PMLN6102	Plastic	3	Fixed	
APX 6000 SERIES		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5709	Plastic	3	Fixed	
APX 6000XE SERIES		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5880	Plastic	3	Fixed	
APX 3000 SERIES	Ĺ	Covert Carry Holster	PMLN6327	Plastic	3	Fixed	
[1	Leather Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5323	Hard Leather	3	Fixed	•
APX 7000 SERIES	Í	Leather Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5326	Hard Leather	3	Fixed	•
		Leather Carry Case with 3" swivel Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	PMLN5866	Hard Leather	3	Swivel	

COMPATIBILITY	ACCESSORY			FEATURES		_	
CARRY SOLUTIO	NS						
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS
APX 7000	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5324	Hard Leather	2.75	Swivel	•	
	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5327	Hard Leather	2.75	Swivel	•
SERIES	ľ	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	PMLN5330	Hard Leather	2.75	Swivel	•
	V	Dual Display Radio Flip Leather Carry Case with 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5560	Hard Leather	2.75	Swivel	•
APX 7000XE SERIES	1	Leather Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	NNTN8112	Hard Leather	3	Fixed	٠
	7	Leather Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	NNTN8114	Hard Leather	3	Fixed	•

MATERIAL: Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.

SWIVEL OR FIXED LOOP: Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION	IS						
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS
	I	Leather Carry Case with 3" Fixed Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	NNTN8116	Hard Leather	3	Fixed	•
4PX 7000XE	P	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	NNTN8111	Hard Leather	2.75	Swivel	•
SERIES	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	NNTN8113	Hard Leather	2.75	Swivel	٠
	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	NNTN8114	Hard Leather	2.75	Swivel	•
	ţ.	Leather Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5658	Hard Leather	3	Fixed	٠
APX 6000	1	Leather Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5660	Hard Leather	3	Fixed	•
SERIES	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5657	Hard Leather	2.75	Swivel	•
	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5659	Hard Leather	2.75	Swivel	•
	Ċ	Leather Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5876	Hard Leather	3	Fixed	•
APX 6000XE	Ť	Leather Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5879	Hard Leather	3	Fixed	•
SERIES	ġ.	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5875	Hard Leather	2.75	Swivel	•
	Ť	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5877	Hard Leather	2.75	Swivel	•
APX 4000 SERIES		Leather Carry Case with 2.5" Swivel Belt Loop	PMLN6085	Hard Leather	2.5	Swivel	
SRX 2200 SERIES	Î	Nylon, Coyote brown carry pouch designed to fit with the elite special ops "MOLLE" vest (sold separately)	NNTN8269	Nylon			



		FEATURES			
	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS
Belt 03 and	PMLN5322	Nylon	3	Fixed	•
Belt Loop Batteries	PMLN5325	Nylon	3	Fixed	•
Belt Loop NTN7037 and	PMLN5328	Nylon	3	Fixed	•
	PMLN6712	Nylon	Up to 5	Fixed	•
compatible	NTN8266	Plastic	2.5		
	HLN6875	Plastic	3		
	PMLN4651	Plastic	2		
	PMLN7008	Plastic	2.5		
vel Belt Loop	PMLN5407	Hard Leather	2.5	Swivel	
ivel Belt	PMLN5408	Hard Leather	2.75	Swivel	
l Belt Loop	PMLN5409	Hard Leather	3	Swivel	
	4200865599	Leather			
p	NTN5243	Nylon			
o Strap	RLN6486	Leather			
o Strap - XL	RLN6487	Leather			
p for Boston	RLN6488	Leather			

CATALOG APX PROJECT 25 RADIO ACCESSORIES

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES		700/800 MHz, GPS Whip Antenna	NAF5085	700/800	764-870	•	20	Whip
APX 4000 SERIES APX 4000 SERIES APX 3000 SERIES SRX 2200 SERIES		UHF, GPS Whip Antenna	PMAE4065	UHF	380-520	•	14.2	Whip
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES SRX 2200 SERIES		VHF, GPS Whip Antenna	NAR6593	VHF	136-174	•	20	Whip
APX 7000 SERIES APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES		1/4 Wave, 700/800 MHz, GPS Stubby Antenna	NAR6595	700/800	764-870	•	9.8	Stubby
APX 6000 SERIES APX 6000XE SERIES	1	UHF Range 1, GPS Stubby Antenna	FAF5259	UHF	380-470	•	9.3	Stubby
APX 4000 SERIES		UHF Range 2, GPS Stubby Antenna	FAF5260	UHF	470-520	•	9.3	Stubby
APX 7000 SERIES	1	VHF, 700/800 MHz Dual Band, GPS Whip Antenna	NAR6594	VHF, 700/800	136-174; 764-870	•	20	Whip
		UHF 700/800 MHz Dual Band, GPS Whip Antenna	PMAS4000	UHF, 700/800	380-520; 764-870	•	19.7	Whip
APX 7000XE SERIES		VHF, UHF Dual Band, GPS Whip Antenna	PMAT4001	VHF, UHF	136-174; 380-520	•	21.8	Whip
APX 7000 SERIES (700/800 MHz only)		GPS Antenna (Directly connected to radio when a public safety microphone is used)	NAG4000	700/800		•	7	Stubby
APX 6000 SERIES (700/800 MHz only)		700/800 Public Safety Microphone Only Stubby Antenna	PMAF4002	700/800	764-870		9	Stubby
r		Flexible Antenna, 700/800 Mhz	PMAF4006	700/800	764-870	•	41	Flexible
APX 3000		Flexible Antenna, UHF	PMAE4080A	UHF	308-470	•	77	Flexible
SERIES		Flexible Antenna, VHF	PMAD4125	VHF			44	Flexible
		Replacement Flexible Antenna Spacer	PMLN6681					
PROGRAMMING (CABLES							
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES SRX 2200 SERIES		Programming and Test Cable	PMKN4013					



INTEGRATED GPS: A GPS antenna is integrated into the RF antenna.





APX 7500 WITH 05 CONTROL HEAD



APX 6500 WITH 05 CONTROL HEAD



APX 4500 WITH 02 CONTROL HEAD

40



APX MOBILE RADIOS ACCESSORIES

COMMUNICATE SAFELY AND EASILY WHEREVER YOU GO

You count on your mobile radio to function clearly and easily so you can concentrate on the mission and communicate safely.

Get the most out of your APX radio by extending its power and reliability with APX accessories. Every mobile microphone, speaker, alarm and control station accessory is best-in-class technology, designed and optimized specifically for your APX mobile. There's simply no substitute for APX accessories.

COMPATIBILITY	ACCESSORY			FEATURES	
MICROPHONES A numbers and send te	.ccess critical features d xt messages. Three prog	irectly on the Keypad microphone. Navigation rammable buttons are available for additiona	al buttons and a fu customization.	ll keypad allow users to navigate radio	menus, dial phone
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
APX 7500 SERIES	S	Keypad Microphone	HMN4079	Keypad + Navigation	
APX 6500 SERIES	Go	Standard Palm Microphone	HMN1090	Standard	
APX 4500 SERIES		Water Resistant Palm Microphone	HMN1089	Standard	
APX 7500 SERIES	3	Water Resistant Palm Microphone for Motorcycle Mounted Mobiles	HMN1079	Standard	
	7	Telephone Keypad Handset with Hang-Up Cup	HMN4097	Telephone + Keypad	
APX 7500 SERIES	7	Hang-Up Handset with Armored Cable	HKN1018	Telephone	
APX 6500 SERIES	3	Handset with Hang-Up Cup	HLN1457	Telephone	
APX 4500 SERIES	≁	Desktop Microphone	RMN5070	Desktop	
	10	IMPRES Visor Microphone, requires PTT Switch GLN7278 or RLN5926	RMN5054	Visor	•



IMPRES[™] AUDIO ACCESSORIES

Mission critical voice transmissions have to be heard over engine, siren, road and wind noise. Fortunately, Motorola's exclusive IMPRES audio accessories are designed to optimize its output based on the accessory in use. IMPRES Visor Microphones are able to pick up and transmit the user's voice consistently to the receiving user regardless of how close they are speaking into the microphone.

COMPATIBILITY	ACCESSORY		
MOBILE MICROP	HONE ACCESSORIES		
MOBILE RADIOS	MOBILE MICROPHONE ACCESSORIES	DESCRIPTION	PART NUMBE
	Å	Microphone Hang-Up Clip	HLN5391
		Microphone Extension Cable, 2-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4093
	k	Microphone Extension Cable, 10-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4033
APX 7500 SERIES		Microphone Extension Cable, 20-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4034
APX 6500 SERIES		Emergency Push Button, can be used with the Visor Microphone	HLN5131
APX 4500 SERIES	0.	Emergency Footswitch, can be used with the Visor Microphone	HLN5113
	Q	Footswitch Push-To-Talk, can be used with the Visor Microphone	GLN7278
	G	Push Button Push-To-Talk, can be used with the Visor Microphone	RLN5926
		Replacement Cable for HMN4079	3075336B1
CONTROL STATI	ON ACCESSORIES		
APX 7500 SERIES		Desktop Tray with Speaker	HLN6042
APX 6500 SERIES	1	Power Supply, 25-60W, for low power radios (cord included)	HPN4007
APX 4500 SERIES		110V Line Cord, Replacement Cable for HPN4007	3060665A0



OMPATIBILITY	ACCESSORY		
mpromising safety	y. Trunnion kits give you tl	ESSORIES Mount your radio in your vehicl re flexibility to mount the radio under your da unt kits allow the radio to be mounted in the	ash, in your dash,
IOBILE RADIOS	INSTALLATION AND MOUNTING ACCESSORIES	DESCRIPTION	PART NUMBER
		High Power Trunnion Kit; Quick Release with Lock	HLN7003
4	0.0	Mid Power Trunnion Kit; Standard Installation Bracket	HLN7002
APX 7500 SERIES		Mid Power Trunnion Lock	HLN6372
APX 4500 SERIES		Remote Mount Control Head Trunnion	HKN6186
	and the second	Low Profile Remote Mount Control Head Trunnion Kit	HLN7031
		Motorcycle Enclosure, Black	HLN7022
DMPATIBILITY XTERNAL ALAR ower when externa	ACCESSORY M ACCESSORIES Exte al accessories are attache	rnal alarm accessories enable additional sw ad.	vitching
IOBILE RADIOS	EXTERNAL ALARM ACCESSORIES	DESCRIPTION	PART NUMBER
	$\bigcirc \bigcirc \bigcirc$	External Alarm Buzzer	HLN6953
APX 7500 SERIES APX 6500 SERIES		External Alarm Relays	HLN6969
APX 4500 SERIES	CINICAL	Auxiliary Switch Panel	HLN1224




COMPATIBILITY	ACCESSORY		
SPEAKERS AND S external speakers.	IRENS Boost audio at yo	ur control station on your desk or in your vehi	icle with
MOBILE RADIOS	SPEAKERS AND SIRENS	DESCRIPTION	PART NUMBER
		Remote Mount, Water Resistant Speaker, 7.5 Watt Rated Audio	HSN4038
		Remote Mount, Water Resistant Speaker, 15 Watt Rated Audio	HSN4040
		Water Resistant Speaker, 13 Watt Rated Audio	HSN4018
APX 7500 SERIES		Non-Water Resistant Speaker, 13 Watt Rated Audio	HSN4032
APX 6500 SERIES		Siren Speaker, Round with Chrome Finish	TDN6251
APX 4500 SERIES	2	Siren Speaker, Rectangular with White Finish	TDN6252
	S	Siren Speaker, Round with Grey Finish	TDN6254
		Siren Speaker, Under Hood with Grey Finish	TDN6253
SIREN ACCESSOR	IES		
APX 7500 SERIES		Status/Message Direct Entry Keypad, 8 Buttons	H1338
APX 6500 SERIES	Desember Besternen	Status/Message Direct Entry Keypad, 16 Buttons	H1339
APX 4500 SERIES		Mobile Siren	HLN1439





COMPATIBILITY	ACCESSORY		
SIREN ACCESSOR	IES		
MOBILE RADIOS	SIREN ACCESSORIES	DESCRIPTION	PART NUMBER
	THE R	Siren Switchbox	HLN6819
APX 7500 SERIES	(esesses	Mode Direct Entry Keypad, 8-Buttons	H1615
APX 6500 SERIES APX 4500 SERIES		Siren Cable, O3 Siren to Switchbox	HKN6146
	6	Siren Cable, Direct Keypad for O3 Control Head	HKN6145

NFF






CATALOG APX PROJECT 25 RADIO ACCESSORIES


APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
CONTROL HEAD	CABLES		
	O	03 Handheld Control Head Extension Cable, 17-Feet	PMLN4958
APX 7500 SERIES	Q.	03 Handheld Control Head Accessory Cable	PMLN4959
APX 6500 SERIES	Ç	Control Head Cable with Connections for Power, Speaker and Headset Jack	HKN6187
APX 4500 SERIES	Ó	Control Head Cable with Connections for Power and Speaker	HKN6188
REMOTE MOUNT	r CABLES		
		Remote Mount Cable, 131-Feet	HKN6164
		Remote Mount Cable, 115-Feet	HKN6165
		Remote Mount Cable, 75-Feet	HKN6166
APX 7500 SERIES		Remote Mount Cable, 50-Feet	HKN6167
5200	6 6	Remote Mount Cable, 30-Feet	HKN6168
APX 6500 SERIES		Remote Mount Cable, 17-Feet	HKN6169
APX 4500 SERIES		Remote Mount Cable, 10-Feet	HKN6170
	\cap	Cable, Remote Control Head Vehicular Interface Port Connector for 05 Control Head	HKN6196
	J	Cable, Remote Control Head Mobile Accessory Port Connector for 05 Control Head	HKN6961
APX 7500 SERIES	0	Motorcycle Remote Cable for 05 Control Head	3075217A02



CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBE
POWER CABLES			
	- 0	Mid Power, Dash Mount Power Cable, 10-Feet	HKN4191
APX 7500 SERIES	Ø	Mid Power, Remote Mount Power Cable, 20-Feet	HKN4192
APX 6500 SERIES	•	Mid Power, Rear Ignition Cable, Dash Mount	HLN6863
APX 4500 SERIES	Ò	High Power, Remote Mount Power Cable 20-Feet	HKN6110
AFA 4000 SERIES	S	Motorcycle Power Cable	HKN6032
DATA CABLES			
		RS232 Cable for Rear Accessory Port, Dash Mount Only, 6-Feet	HKN6010
APX 7500 SERIES	M	RS232 Cable for Rear Accessory Port, Remote Mount Only, 20-Feet	HKN6161
APX 6500 SERIES	0	RS232 Cable for Mobile Microphone Port	HKN6183
APX 4500 SERIES	Ø	RS232 Cable for J600 Transceiver Interconnect Board, 22-Feet	HKN6122
KEYLOAD CABLES	5		
APX 7500 SERIES	9	Keyloader Cable, KVL3000	TKN8531
APX 6500 SERIES APX 4500 SERIES		Keyload Adapter for Mobile Microphone Port	HKN6182
PROGRAMMING	CABLES		
APX 7500 SERIES	ah	USB Cable, Rear Accessory Port, Remote Mount, 15-Feet (for use with customer program software)	HKN6163
APX 6500 SERIES APX 4500 SERIES	00	USB Cable, Rear Accessory Port, Dash Mount, 6-Feet (for use with customer program software)	HKN6172





COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS A var	iety of antennas ensure th	e best possible reception wherever you operation	ate. Choose from a	ntennas with integra	ted GPS to standald	one RF antennas.		
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE		
VHF ANTENNAS (RF ONLY)								
		VHF 1/4 Wave Antenna, 136-144 MHz	HAD4006	VHF	136-144	Through-hole		
APX 7500 SERIES		VHF 1/4 Wave Antenna, 144-150.8 MHz	HAD4007	VHF	144-150.8	Through-hole		
APX 6500 SERIES	°S	VHF 1/4 Wave Antenna, 150.8-162 MHz	HAD4008	VHF	150.8-162	Through-hole		
		VHF 1/4 Wave Antenna, 162-174 MHz	HAD4009	VHF	162-174	Through-hole		


FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

COMPATIBILITY	ACCESSORY			FEATURES		
ANTENNAS						
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
VHF ANTENNAS	(RF ONLY)					
APX 7500 SERIES APX 6500 SERIES APX 6500 SERIES APX 4500 SERIES		VHF 1/4 Wave Antenna, 136-162 MHz	HAD4016	VHF	136-162	Through-hole
		VHF 1/4 Wave Antenna, 146-174 MHz	HAD4017	VHF	146-174	Through-hole
		VHF Wideband Antenna, 136-174 MHz	HAD4021	VHF	136-174	Through-hole
	- i	VHF Wideband Antenna 3.0 dB Gain, 136-174 MHz	HAD4022	VHF	136-174	Through-hole
		VHF Wideband Antenna 3.0 dB Gain, 136-174 MHz	RAD4010ARB	VHF	136-174	Through-hole

CATALOG APX PROJECT 25 RADIO ACCESSORIES

APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS A variety of antennas ensure the best possible reception wherever you operate. Choose from antennas with integrated GPS to standalone RF antennas.							
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE	
VHF ANTENNAS (RF ONLY)							
APX 7500 SERIES		VHF 1/4 Wave Antenna, 136-144 MHz	RAD4002ARB	VHF	136-144	Motorcycle	
		VHF 1/4 Wave Antenna, 144-150.8 MHz	RAD4003ARB	VHF	144-150.8	Motorcycle	
		VHF 1/4 Wave Antenna, 150.8-162 MHz	RAD4004ARB	VHF	150.8-162	Motorcycle	
		VHF 1/4 Wave Antenna, 162-174 MHz	RAD4005ARB	VHF	162-174	Motorcycle	
UHF ANTENNAS	(RF ONLY)			1			
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 4500 SERIES		UHF 1/4 Wave Antenna, 380-433 MHz	HAE6012	UHF	380-433	Through-hole	
		UHF 1/4 Wave Antenna, 450-470 MHz	HAE4003	UHF	450-470	Through-hole	
		UHF 1/4 Wave Antenna, 450-470 MHz	HAE4004	UHF	450-470	Through-hole	
		UHF 3 dB Gain Antenna, 450-495 MHz	HAE4012	UHF	450-495	Through-hole	
		UHF 3 dB Gain Antenna, 494-512 MHz	HAE4013	UHF	494-512	Through-hole	
	_	UHF 3.5 dB Gain Antenna, 380-433 MHz	HAE6010	UHF	380-433	Through-hole	



		FEATURES	_	_
	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
470 MHz	HAE4011	UHF	450-470	Through-hole
33 MHz	HAE6011	UHF	380-433	Through-hole
70 MHz	RAE4014ARB	UHF	455-470	Through-hole
2 MHz	RAE4016ARB	UHF	494-512	Through-hole
nna,	HAE6013	UHF	380-470	Through-hole
nna,	HAE6015	UHF	450-512	Through-hole
nna,	HAE6031	UHF	380-520	Through-hole
enna,	HAE6016	UHF	450-512	Through-hole
33 MHz	HAE6014	UHF	380-433	Motorcycle
70 MHz	HAE6032	UHF	425-470	Motorcycle

CATALOG APX PROJECT 25 RADIO ACCESSORIES

APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS A vari	ety of antennas ensure t	the best possible reception wherever you oper	ate. Choose from a	ntennas with integr	ated GPS to standal	one RF antennas.	
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE	
UHF ANTENNAS (RF ONLY)							
APX 7500 SERIES	T	UHF 1/4 Wave Antenna, 450-482 MHz	HAE6033	UHF	450-482	Motorcycle	
	٢	UHF 1/4 Wave Antenna, 482-512 MHz	HAE6034	UHF	482-512	Motorcycle	
		UHF 1/4 Wave Low Profile Antenna, 450-512 MHz	HAE6035	UHF	450-512	Motorcycle	
700/800 MHZ ANT	ENNAS (RF ONLY)						
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES		1/4 Wave Antenna, 762-870 MHz	HAF4016	700/800	762-870	Through-hole	
		3 dB Gain Low Profile Antenna, 762-870 MHz	HAF4013	700/800	762-870	Through-hole	
		3 dB Gain Elevated Feed Antenna, 762-870 MHz	HAF4014	700/800	762-870	Through-hole	
		3 dB Gain Collinear Antenna, 762-870 MHz	HAF4017	700/800	762-870	Through-hole	





		FEATURES		
	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
Hz	HAF4015	700/800	762-870	Motorcycle
МНz	HAF4018	700/800	762-870	Motorcycle
	HAG4000	GPS Only		Roof Mount
	PMAN4001	GPS Only		Glass Mount
	HAG4001	GPS Only		Motorcycle



Is this Accessory catalog helpful to you? We'd like to hear from you. Please take a moment to complete a brief survey, visit **websurvey.motorolasolutions.com/APXAE1**

For more information on Motorola mission critical accessories, visit **motorolasolutions.com/apx**.

Motorola Solutions, Inc. 1301 E. Algonquin Road, Schaumburg, Illinois 60196 U.S.A. motorolasolutions.com MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2014 Motorola Solutions, Inc. All rights reserved. RC-4-5001

